



Najad 490

Najad 490

LENGTH OVERALL:	15,00 m
LENGTH WATERLINE:	13,13 m
BEAM:	4,50 m
DRAUGHT:	2,35 m
*ALTERNATIVE DRAUGHT:	2,00 m
DISPLACEMENT:	18,0 t
MAST HEIGHT ABOVE WATER LINE:	21,30 m
YANMNAR:	72 kW, 96 H.P.
WATER CAPACITY:	730 L
FUEL CAPACITY APPRX:	605 L
HOLDING CAPACITY:	145 L
FULL-BATTEN MAIN:	62 m ²
WORKING JIB:	54 m ²
*SPINNAKER:	192 m ²
*EXTRA EQUIPMENT	







Basic equipment

LAYOUT A
 FURLEX SYSTEM
 RODKICK
 BACKSTAY ADJUSTER
 HOLDING TANK WITH DECK EVACUATION
 HEATER, OUTLETS IN ALL SPACES
 TEAK ON DECK
 TEAK ON COACHROOF / AFT CABIN / SWIMMING PLATFORM
 HIGH-GLOSS VARNISHED CHART TABLE AND COMPANION WAY
 RAYMARINE ST 60-SPEED, DEPTH, WIND
 PRESSURISED WATER AND DISCHARGE PULSATION DAMPER
 SHOWER IN HEADS WITH DRAIN PUMP
 REFRIGERATOR WITH COOLING UNIT
 FREEZER
 2 GAS BOTTLES WITH FITTING, CAMPING GAS
 REMOTE CONTROLLED SHUT-OFF GAS VALVE IN GALLEY
 SPRAYHOOD
 SAILCOVER
 MAINSAIL AND WORKING JIB, TRIRADIAL CUT, SPECTRA / MYLAR
 EPOXY TREATED HULL BELOW WATERLINE
 STEERING WHEEL - LEATHER COVERED
 WINDEX
 FLEXIBLE SHAFT
 EL. WINDLASS, BRUCE ANCHOR AND CHAIN
 GATEWAYS IN LIFELINES, STB AND PORT
 CORIAN IN GALLEY
 230V ISOLATION TRANSFORMER
 BATTERY CHARGER
 FLEX-O FOLD PROPELLER
 REMOVABLE INNER FORSTAY WITH ADJUSTER
 WATER HEATER

EINRICHTUNG A
 VORSEGELREFFANLAGE
 RODKICK
 ACHTERSTAGSTRECKER
 FÄKALIENTANK, DECKABSAUGSTUTZEN
 HEIZUNG, AUSTRITTE IN ALLEN RÄUMEN
 TEAK AUF DEM DECK
 TEAK AUF DEM AUFBAU / ACHTERKÄJÜTE / BADEPLATFORM
 HOCHGLANZLACKIERTER KARTENTISCH UND NIEDERGANG
 RAYMARINE ST 60 LOG, LOT, WIND
 DRUCKWASSER & DRUCKAUSGLEICHBEHÄLTER
 DUSCHE IM TOILETTEIRAUM MIT ABSAUGPUMPE
 KÜHLBOX MIT KÜHLSYSTEM
 TIEFKÜHL
 2 GASFLACHEN MIT HALTERUNG, CAMPINGGAS
 GASFERNSCHALTER IN DER PANTRY
 SPRAYHOOD
 GROSSEGELPERSENNING
 GROBSEGEL UND FOCK, TRIRADIAL SPECTRA / MYLAR
 RUMPF UNTER DER WASSERLINIE MIT EPOXI BEHANDELT
 STEUERWHEEL MIT LEDER BEZOGEN
 WINDEX
 PROPELLERWELLE MIT FLEXIBLER KÜPLUNG
 EL. ANKERWINDE, BRUCE ANKER, ANKERKETTE
 SEERELINGSÖFFNUNG STB UND BB
 CORIAN IN DER PANTRY
 230V TRENNTrafo
 BATTERIELADEGERÄT
 FLEX O FOLD VERSTELLPROPELLER
 WEGNEHMBARES 2. VORSTAG MIT SPANNER
 WARMWASSERBEREITER

